

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
	2141	3.6	UNKNOWN	1067	569	322	183
Abington	58	3.6	MODERATE	25	15	14	4
Acton	384	3.4	HIGH	203	84	53	44
Acushnet	18	1.9	MODERATE	12	3	3	0
Adams	43	2.9	MODERATE	22	8	10	3
Agawam	118	1.1	MODERATE	105	11	0	2
Allston	32	2.8	LOW	23	4	3	2
Amesbury	86	5.1	HIGH	29	23	21	13
Amherst	271	3.4	MODERATE	139	67	34	31
Andover	616	5.9	HIGH	253	140	112	111
Arlington	133	2.2	HIGH	85	25	17	6
Arlington Heights	1	1.7	HIGH	1	0	0	0
Ashburnham	24	6.4	HIGH	8	5	4	7
Ashby	7	11.6	HIGH	2	1	2	2
Ashfield	11	3.4	MODERATE	4	4	2	1
Ashland	127	5.3	HIGH	55	19	26	27
Ashley Falls	10	2.1	MODERATE	6	3	0	1
Assonet	14	3.1	MODERATE	8	4	1	1
Athol	30	4.8	HIGH	10	6	8	6
Attleboro	276	3.2	MODERATE	163	51	41	21
Attleboro Falls	22	2.6	MODERATE	9	8	4	1
Auburn	74	14.5	HIGH	23	11	17	23
Auburndale	64	10.7	HIGH	24	22	12	6
Avon	12	1.8	MODERATE	6	5	1	0
Ayer	56	8.5	HIGH	18	10	12	16
Baldwinville	1	18.2	HIGH	0	0	0	1
Barnstable	8	2.1	MODERATE	4	4	0	0
Barre	12	1.9	HIGH	9	2	1	0

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Becket	21	4.1	MODERATE	14	2	2	3
Bedford	134	3.4	HIGH	68	34	12	20
Belchertown	190	3.3	MODERATE	87	47	42	14
Bellingham	60	3.3	MODERATE	38	7	12	3
Belmont	104	2.1	HIGH	63	21	19	1
Berkley	12	2.2	MODERATE	6	4	2	0
Berlin	24	4.2	HIGH	9	6	7	2
Bernardston	21	8.1	MODERATE	7	3	5	6
Beverly	292	7.0	HIGH	139	65	45	43
Billerica	170	3.5	HIGH	92	46	21	11
Blackstone	31	2.9	HIGH	18	8	2	3
Blandford	12	1.7	MODERATE	10	0	2	0
Bolton	71	4.5	HIGH	29	19	14	9
Bondsville	8	3.0	MODERATE	3	3	1	1
Boston	408	2.2	LOW	306	56	23	23
Boxborough	141	5.6	HIGH	46	32	36	27
Boxford	312	4.6	HIGH	145	55	55	57
Boylston	65	8.0	HIGH	18	10	17	20
Braintree	240	2.7	MODERATE	140	60	25	15
Brant Rock	4	0.9	MODERATE	4	0	0	0
Brewster	53	2.1	MODERATE	36	12	4	1
Bridgewater	65	2.4	MODERATE	39	15	7	4
Brighton	77	4.4	LOW	47	12	6	12
Brimfield	32	3.1	MODERATE	18	5	7	2
Brockton	37	2.8	MODERATE	19	9	7	2
Brookfield	5	3.6	HIGH	2	1	2	0
Brookline	108	2.7	MODERATE	63	22	15	8
Bryantville	3	1.2	MODERATE	2	1	0	0

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Burlington	235	5.3	HIGH	94	59	41	41
Buzzards Bay	27	3.1	MODERATE	20	2	2	3
Byfield	31	2.3	HIGH	17	9	5	0
Cambridge	336	2.1	HIGH	225	72	30	9
Canton	170	3.6	MODERATE	91	34	27	18
Carlisle	116	4.5	HIGH	49	25	24	18
Carver	60	1.5	MODERATE	46	11	3	0
Cataumet	7	3.0	MODERATE	3	2	2	0
Centerville	63	2.0	MODERATE	36	17	9	1
Charlemont	4	2.3	MODERATE	3	0	0	1
Charlestown	29	2.0	LOW	19	6	3	1
Charlton	99	6.6	HIGH	43	13	17	26
Charlton City	3	12.6	HIGH	1	1	0	1
Charlton Depot	1	0.9	HIGH	1	0	0	0
Chatham	70	2.6	MODERATE	35	23	10	2
Chelmsford	166	3.4	HIGH	93	42	21	10
Chelsea	16	1.9	LOW	10	4	1	1
Cherry Valley	4	2.1	HIGH	2	1	1	0
Cheshire	27	3.1	MODERATE	15	3	6	3
Chester	25	2.8	MODERATE	12	7	5	1
Chesterfield	10	1.4	MODERATE	7	2	1	0
Chestnut Hill	66	3.9	HIGH	27	21	12	6
Chicopee	259	1.2	MODERATE	217	31	10	1
Chilmark	288	2.6	MODERATE	170	61	44	13
Clinton	50	3.1	HIGH	27	13	4	6
Cohasset	126	2.2	MODERATE	81	24	14	7
Colrain	14	4.0	MODERATE	5	5	1	3
Concord	208	3.8	HIGH	91	53	35	29

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Conway	22	4.0	MODERATE	10	8	1	3
Cotuit	17	2.2	MODERATE	7	7	3	0
Cummington	10	2.7	MODERATE	8	0	1	1
Cuttyhunk	1	0.9	MODERATE	1	0	0	0
Dalton	47	2.6	MODERATE	29	10	4	4
Danvers	147	2.5	HIGH	86	28	22	11
Dartmouth	1	0.0	MODERATE	1	0	0	0
Dedham	170	2.5	MODERATE	98	39	26	7
Deerfield	10	1.6	MODERATE	8	1	1	0
Dennis	23	1.8	MODERATE	19	1	2	1
Dennis Port	10	0.6	MODERATE	9	1	0	0
Devens	1	0.0	HIGH	1	0	0	0
Dighton	18	1.0	MODERATE	16	1	1	0
Douglas	42	3.5	HIGH	15	13	11	3
Dover	92	3.7	MODERATE	30	35	16	11
Dracut	130	3.6	HIGH	69	27	21	13
Dudley	30	6.2	HIGH	8	6	10	6
Dunstable	32	6.6	HIGH	9	5	7	11
Duxbury	103	2.6	MODERATE	57	29	12	5
East Bridgewater	27	3.6	MODERATE	15	6	1	5
East Brookfield	3	3.2	HIGH	1	1	1	0
East Dennis	25	1.5	MODERATE	19	5	1	0
East Falmouth	102	4.1	MODERATE	42	33	19	8
East Freetown	10	3.8	MODERATE	5	2	1	2
East Longmeadow	165	1.3	MODERATE	142	18	2	3
East Mansfield	1	1.4	MODERATE	1	0	0	0
East Orleans	10	1.2	MODERATE	8	2	0	0
East Otis	8	0.6	MODERATE	8	0	0	0

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
East Sandwich	40	1.7	MODERATE	27	9	4	0
East Taunton	10	1.2	MODERATE	9	0	1	0
East Templeton	1	3.9	HIGH	0	1	0	0
East Walpole	39	2.6	MODERATE	21	9	7	2
East Wareham	29	0.2	MODERATE	28	1	0	0
East Weymouth	57	2.3	MODERATE	35	11	9	2
Eastham	22	1.8	MODERATE	10	11	1	0
Easthampton	156	3.2	MODERATE	108	29	8	11
Easton	3	1.2	MODERATE	3	0	0	0
Edgartown	759	1.9	MODERATE	492	188	66	13
Erving	5	4.0	MODERATE	2	2	0	1
Essex	42	3.3	HIGH	21	9	7	5
Everett	41	4.9	HIGH	22	8	2	9
Fairhaven	46	2.5	MODERATE	28	12	2	4
Fall River	111	2.2	MODERATE	82	16	8	5
Falmouth	218	3.0	MODERATE	106	57	34	21
Fayville	6	1.7	HIGH	4	2	0	0
Feeding Hills	125	2.1	MODERATE	83	26	14	2
Fiskdale	30	4.5	HIGH	17	6	3	4
Fitchburg	108	4.2	HIGH	44	21	25	18
Florence	94	3.4	MODERATE	39	22	25	8
Forestdale	11	2.8	MODERATE	5	4	2	0
Foxboro	151	5.7	MODERATE	66	28	23	34
Framingham	310	3.5	HIGH	153	77	50	30
Franklin	197	6.9	MODERATE	94	30	33	40
Gardner	22	2.2	HIGH	10	9	3	0
Georgetown	76	2.1	HIGH	49	14	10	3
Gilbertville	3	0.5	HIGH	3	0	0	0

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Glendale	2	2.0	MODERATE	1	1	0	0
Gloucester	288	4.2	HIGH	106	69	81	32
Goshen	7	1.9	MODERATE	5	1	1	0
Grafton	49	5.2	HIGH	21	12	8	8
Granby	60	2.2	MODERATE	37	14	5	4
Granville	25	3.8	MODERATE	17	4	2	2
Great Barrington	110	3.8	MODERATE	45	33	17	15
Green Harbor	12	0.6	MODERATE	12	0	0	0
Greenbush	2	1.4	MODERATE	2	0	0	0
Greenfield	123	2.4	MODERATE	84	22	9	8
Groton	135	10.3	HIGH	39	33	34	29
Groveland	57	4.8	HIGH	23	10	10	14
Hadley	43	2.4	MODERATE	27	8	6	2
Halifax	28	2.8	MODERATE	13	9	5	1
Hamilton	8	2.8	HIGH	2	4	2	0
Hampden	43	3.0	MODERATE	25	10	2	6
Hanover	95	3.3	MODERATE	51	23	9	12
Hanscom AFB	12	1.7	HIGH	7	5	0	0
Hanson	118	1.7	MODERATE	91	15	10	2
Hardwick	3	1.8	HIGH	2	1	0	0
Harvard	122	4.5	HIGH	50	29	24	19
Harwich	152	2.0	MODERATE	78	59	13	2
Harwich Port	37	1.2	MODERATE	31	4	2	0
Hatfield	22	1.1	MODERATE	18	3	1	0
Haverhill	307	10.4	HIGH	114	25	23	145
Haydenville	18	8.5	MODERATE	2	8	6	2
Heath	4	0.6	MODERATE	4	0	0	0
Hingham	419	3.7	MODERATE	227	114	47	31

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Hinsdale	17	1.7	MODERATE	13	2	2	0
Holbrook	26	2.5	MODERATE	12	9	4	1
Holden	119	3.9	HIGH	46	30	28	15
Holland	11	0.7	MODERATE	10	1	0	0
Holliston	69	2.7	HIGH	38	13	14	4
Holyoke	176	3.7	MODERATE	78	46	34	18
Hopedale	32	3.7	HIGH	13	7	7	5
Hopkinton	195	4.7	HIGH	100	38	34	23
Housatonic	54	5.6	MODERATE	26	7	9	12
Hubbardston	28	2.5	HIGH	17	5	5	1
Hudson	79	2.4	HIGH	52	16	5	6
Hull	25	1.4	MODERATE	19	3	3	0
Humarock	5	2.9	MODERATE	3	1	0	1
Huntington	20	4.2	MODERATE	9	5	2	4
Hyannis	42	1.8	MODERATE	28	8	6	0
Hyannis Port	1	0.7	MODERATE	1	0	0	0
Hyde Park	30	1.7	LOW	18	8	4	0
Indian Orchard	16	1.4	MODERATE	11	5	0	0
Ipswich	139	4.5	HIGH	58	37	22	22
Jamaica Plain	135	2.1	LOW	78	35	19	3
Jefferson	18	4.8	HIGH	6	6	4	2
Kingston	60	2.5	MODERATE	32	14	10	4
Lake Pleasant	4	2.4	MODERATE	2	1	1	0
Lakeville	79	4.3	MODERATE	46	14	9	10
Lancaster	28	5.0	HIGH	10	8	5	5
Lanesboro	31	5.8	MODERATE	1	11	13	6
Lawrence	65	6.2	HIGH	25	16	9	15
Lee	51	1.4	MODERATE	38	10	3	0

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Leeds	44	4.2	MODERATE	17	11	10	6
Leicester	23	4.3	HIGH	8	4	6	5
Lenox	63	4.4	MODERATE	32	11	5	15
Lenox Dale	5	0.9	MODERATE	5	0	0	0
Leominster	121	3.8	HIGH	62	32	12	15
Leverett	42	3.5	MODERATE	22	7	6	7
Lexington	228	2.4	HIGH	123	70	25	10
Lincoln	206	5.8	HIGH	85	52	35	34
Linwood	2	3.8	HIGH	1	0	1	0
Littleton	133	6.4	HIGH	52	18	28	35
Longmeadow	210	0.9	MODERATE	195	14	1	0
Lowell	122	2.9	HIGH	66	30	19	7
Ludlow	123	2.2	MODERATE	71	36	13	3
Lunenburg	90	5.0	HIGH	32	29	12	17
Lynn	221	3.3	HIGH	135	32	22	32
Lynnfield	240	4.6	HIGH	109	51	48	32
Malden	109	1.5	HIGH	82	18	9	0
Manchaug	1	4.5	HIGH	0	0	1	0
Manchester	139	3.5	HIGH	70	26	28	15
Manomet	8	5.1	MODERATE	5	2	0	1
Mansfield	302	3.7	MODERATE	117	86	72	27
Marblehead	190	3.7	HIGH	114	28	19	29
Marion	28	1.8	MODERATE	21	3	2	2
Marlborough	208	4.9	HIGH	97	43	41	27
Marshfield	125	2.9	MODERATE	83	19	15	8
Marshfield Hills	11	1.3	MODERATE	10	0	1	0
Marstons Mills	41	2.8	MODERATE	16	15	9	1
Mashpee	53	3.7	MODERATE	20	19	7	7



City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Mattapan	23	1.6	LOW	15	7	1	0
Mattapoisett	77	1.8	MODERATE	54	20	2	1
Maynard	75	6.4	HIGH	30	25	8	12
Medfield	120	3.8	MODERATE	64	21	17	18
Medford	179	2.5	HIGH	102	46	21	10
Medway	53	2.4	MODERATE	28	19	4	2
Melrose	156	3.4	HIGH	79	40	23	14
Mendon	39	3.6	HIGH	16	9	11	3
Menemsha	4	5.7	MODERATE	1	1	1	1
Merrimac	38	5.5	HIGH	17	4	7	10
Methuen	160	2.3	HIGH	81	54	24	1
Middleboro	81	2.1	MODERATE	47	21	12	1
Middlefield	4	1.3	MODERATE	3	1	0	0
Middleton	129	5.0	HIGH	52	25	30	22
Milford	84	2.1	HIGH	51	18	12	3
Mill River	3	2.6	MODERATE	2	0	1	0
Millbury	85	3.7	HIGH	41	16	13	15
Millis	64	3.1	MODERATE	31	18	8	7
Millville	5	2.0	HIGH	3	1	1	0
Milton	232	3.6	MODERATE	116	72	25	19
Milton Village	4	0.6	MODERATE	4	0	0	0
Minot	1	7.6	MODERATE	0	0	1	0
Monponsett	3	0.8	MODERATE	3	0	0	0
Monson	76	2.0	MODERATE	50	18	5	3
Montague	40	3.4	MODERATE	15	15	7	3
Monterey	13	1.5	MODERATE	10	1	2	0
Monument Beach	17	3.4	MODERATE	5	8	2	2
Nahant	16	4.3	HIGH	10	5	0	1

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Nantucket	23	0.6	MODERATE	20	3	0	0
Natick	199	3.8	HIGH	102	48	35	14
Needham	85	2.9	MODERATE	44	17	18	6
Needham Heights	46	2.3	MODERATE	29	10	3	4
New Bedford	74	1.6	MODERATE	51	17	6	0
New Braintree	3	1.7	HIGH	2	1	0	0
New Salem	15	14.1	MODERATE	2	2	3	8
New Town	1	0.6	HIGH	1	0	0	0
Newbury	25	3.6	HIGH	11	7	6	1
Newburyport	185	7.4	HIGH	91	27	29	38
Newton	35	1.5	HIGH	23	10	1	1
Newton Center	114	2.3	HIGH	67	31	13	3
Newton Highlands	25	5.7	HIGH	14	7	0	4
Newton Lower Falls	11	3.7	HIGH	7	1	0	3
Newton Upper Falls	10	5.9	HIGH	4	2	2	2
Newtonville	48	5.9	HIGH	21	7	10	10
Norfolk	108	4.8	MODERATE	48	23	20	17
North Adams	50	4.1	MODERATE	27	10	9	4
North Amherst	1	0.7	MODERATE	1	0	0	0
North Andover	454	4.0	HIGH	234	94	69	57
North Attleboro	180	4.0	MODERATE	83	38	44	15
North Billerica	42	2.9	HIGH	22	12	3	5
North Brookfield	7	2.1	HIGH	5	1	1	0
North Carver	2	1.1	MODERATE	2	0	0	0
North Chatham	8	1.0	MODERATE	7	1	0	0
North Chelmsford	48	6.4	HIGH	20	9	12	7
North Dartmouth	51	3.9	MODERATE	25	9	8	9
North Dighton	38	2.2	MODERATE	21	11	5	1

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
North Eastham	24	3.4	MODERATE	7	5	12	0
North Easton	180	4.7	MODERATE	85	33	30	32
North Egremont	5	5.5	MODERATE	3	1	0	1
North Falmouth	14	2.9	MODERATE	8	2	3	1
North Grafton	36	4.5	HIGH	20	4	4	8
North Hatfield	3	1.8	MODERATE	2	1	0	0
North Marshfield	1	0.3	MODERATE	1	0	0	0
North Oxford	9	6.8	HIGH	2	3	2	2
North Pembroke	1	1.4	MODERATE	1	0	0	0
North Reading	311	6.0	HIGH	141	68	48	54
North Scituate	3	3.8	MODERATE	1	1	0	1
North Truro	2	3.9	MODERATE	0	1	1	0
North Uxbridge	2	4.0	HIGH	1	0	1	0
North Waltham	1	1.6	HIGH	1	0	0	0
North Weymouth	28	2.1	MODERATE	18	5	4	1
Northampton	237	2.9	MODERATE	147	51	23	16
Northborough	154	5.1	HIGH	67	29	27	31
Northbridge	40	4.3	HIGH	21	8	3	8
Northfield	24	2.7	MODERATE	12	4	8	0
Norton	45	2.2	MODERATE	26	10	8	1
Norwell	62	3.5	MODERATE	39	15	6	2
Norwood	187	3.4	MODERATE	105	34	16	32
Nutting Lake	2	0.8	HIGH	2	0	0	0
Oak Bluffs	211	2.1	MODERATE	123	59	26	3
Oakham	12	3.1	HIGH	5	5	1	1
Ocean Bluff	1	0.6	MODERATE	1	0	0	0
Onset	3	0.1	MODERATE	3	0	0	0
Orange	10	3.1	MODERATE	3	4	3	0

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Orleans	42	4.4	MODERATE	22	12	6	2
Osterville	19	1.4	MODERATE	16	1	2	0
Otis	6	1.2	MODERATE	5	1	0	0
Oxford	45	5.0	HIGH	20	9	11	5
Palmer	55	1.6	MODERATE	42	10	3	0
Paxton	13	4.3	HIGH	4	3	4	2
Peabody	208	3.5	HIGH	109	44	29	26
Pembroke	53	1.8	MODERATE	38	8	6	1
Pepperell	69	5.0	HIGH	29	14	14	12
Petersham	5	1.4	HIGH	3	2	0	0
Pinehurst	2	0.7	HIGH	2	0	0	0
Pittsfield	323	2.7	MODERATE	197	58	48	20
Plainfield	6	2.1	MODERATE	3	2	1	0
Plainville	60	6.1	MODERATE	24	15	5	16
Plymouth	189	2.7	MODERATE	88	61	32	8
Plympton	5	6.9	MODERATE	2	0	1	2
Pocasset	22	2.3	MODERATE	14	4	2	2
Prides Crossing	16	5.0	HIGH	8	2	3	3
Princeton	37	3.5	HIGH	16	11	7	3
Provincetown	10	3.0	MODERATE	8	0	0	2
Quincy	267	4.6	MODERATE	145	57	28	37
Randolph	75	2.4	MODERATE	48	16	6	5
Raynham	33	2.0	MODERATE	19	11	3	0
Raynham Center	1	11.0	MODERATE	0	0	0	1
Reading	386	3.1	HIGH	204	86	68	28
Rehoboth	75	9.4	MODERATE	30	14	19	12
Revere	56	2.0	LOW	36	13	3	4
Richmond	25	4.0	MODERATE	10	3	9	3

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Rochdale	20	4.8	HIGH	11	2	2	5
Rochester	25	4.7	MODERATE	11	7	4	3
Rockland	40	2.3	MODERATE	23	10	4	3
Rockport	99	2.9	HIGH	59	20	10	10
Roslindale	70	2.7	LOW	36	16	15	3
Rowe	2	0.9	MODERATE	2	0	0	0
Rowley	42	2.9	HIGH	19	14	4	5
Royalston	5	5.2	HIGH	2	1	0	2
Russell	14	1.7	MODERATE	10	3	1	0
Rutland	37	4.9	HIGH	17	7	8	5
Sagamore	1	5.2	MODERATE	0	0	1	0
Sagamore Beach	2	0.2	MODERATE	2	0	0	0
Salem	124	5.4	HIGH	62	24	19	19
Salisbury	15	1.3	HIGH	11	3	1	0
Sandisfield	12	3.7	MODERATE	9	1	0	2
Sandwich	66	3.1	MODERATE	30	12	18	6
Saugus	220	5.4	HIGH	81	71	41	27
Savoy	3	1.1	MODERATE	2	1	0	0
Scituate	126	1.9	MODERATE	90	18	12	6
Seekonk	134	2.8	MODERATE	76	25	23	10
Sharon	443	5.2	MODERATE	176	95	95	77
Sheffield	31	3.5	MODERATE	18	2	10	1
Shelburne Falls	23	2.8	MODERATE	11	8	3	1
Sheldonville	2	1.4	MODERATE	1	1	0	0
Sherborn	34	3.4	HIGH	11	12	9	2
Shirley	55	5.7	HIGH	24	9	11	11
Shrewsbury	435	4.9	HIGH	188	102	76	69
Shutesbury	22	3.5	MODERATE	11	4	3	4

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Somerset	37	2.5	MODERATE	23	8	3	3
Somerville	111	1.6	HIGH	77	23	10	1
South Barre	2	2.5	HIGH	1	0	1	0
South Carver	1	1.9	MODERATE	1	0	0	0
South Chatham	4	2.1	MODERATE	2	1	1	0
South Dartmouth	37	2.5	MODERATE	17	13	7	0
South Deerfield	34	3.6	MODERATE	23	6	4	1
South Dennis	38	1.5	MODERATE	29	8	1	0
South Easton	62	2.1	MODERATE	39	14	7	2
South Egremont	17	4.2	MODERATE	6	3	5	3
South Grafton	29	3.3	HIGH	12	7	6	4
South Hadley	266	1.3	MODERATE	227	28	7	4
South Hamilton	81	3.5	HIGH	33	29	11	8
South Harwich	10	3.1	MODERATE	3	5	1	1
South Lancaster	3	0.5	HIGH	3	0	0	0
South Lee	4	1.3	MODERATE	3	0	1	0
South Orleans	25	18.0	MODERATE	11	4	1	9
South Walpole	12	1.0	MODERATE	11	1	0	0
South Weymouth	76	4.1	MODERATE	29	20	20	7
South Yarmouth	16	1.0	MODERATE	14	2	0	0
Southampton	78	2.9	MODERATE	36	24	14	4
Southborough	111	3.2	HIGH	42	32	32	5
Southbridge	46	2.5	HIGH	26	9	6	5
Southfield	2	1.9	MODERATE	1	1	0	0
Southwick	96	2.1	MODERATE	60	22	13	1
Spencer	23	2.4	HIGH	14	3	5	1
Springfield	613	1.6	MODERATE	514	71	12	16
Sterling	77	4.9	HIGH	40	7	18	12

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Still River	1	0.0	HIGH	1	0	0	0
Stockbridge	28	1.9	MODERATE	17	8	3	0
Stoneham	138	2.6	HIGH	81	33	15	9
Stoughton	115	2.0	MODERATE	73	27	11	4
Stow	152	4.4	HIGH	56	49	26	21
Sturbridge	45	2.6	HIGH	25	11	6	3
Sudbury	239	3.3	HIGH	128	51	37	23
Sunderland	11	0.9	MODERATE	10	1	0	0
Sutton	52	4.9	HIGH	22	12	7	11
Swampscott	172	4.2	HIGH	73	42	27	30
Swansea	41	3.2	MODERATE	20	11	7	3
Taunton	79	1.9	MODERATE	55	15	6	3
Templeton	4	1.8	HIGH	3	0	1	0
Tewksbury	94	3.3	HIGH	65	17	8	4
Thorndike	2	1.8	MODERATE	2	0	0	0
Three Rivers	4	0.6	MODERATE	4	0	0	0
Topsfield	105	3.4	HIGH	53	19	20	13
Townsend	59	4.4	HIGH	22	19	11	7
Truro	5	0.8	MODERATE	5	0	0	0
Turners Falls	27	2.3	MODERATE	16	4	6	1
Tyngsboro	88	4.5	HIGH	44	16	13	15
Tyringham	2	0.3	MODERATE	2	0	0	0
Upton	56	4.7	HIGH	29	9	10	8
Uxbridge	58	9.2	HIGH	16	15	13	14
Village of Nagog Woods	5	6.2	HIGH	3	1	0	1
Vineyard Haven	443	2.6	MODERATE	229	119	81	14
Waban	33	2.7	HIGH	20	8	2	3
Wakefield	220	2.7	HIGH	115	52	40	13

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Wales	7	0.4	MODERATE	7	0	0	0
Walpole	155	2.3	MODERATE	101	29	15	10
Waltham	164	2.1	HIGH	116	28	12	8
Ware	53	1.6	MODERATE	35	16	2	0
Wareham	12	1.3	MODERATE	9	3	0	0
Warren	8	1.0	HIGH	8	0	0	0
Warwick	5	3.3	MODERATE	2	1	2	0
Watertown	50	1.4	HIGH	39	7	3	1
Wayland	262	5.2	HIGH	103	69	55	35
Webster	61	6.1	HIGH	14	11	22	14
Wellesley	58	3.0	MODERATE	28	15	10	5
Wellesley Hills	94	3.3	MODERATE	53	18	15	8
Wellfleet	14	1.9	MODERATE	8	6	0	0
Wendell	11	4.5	MODERATE	3	5	2	1
Wenham	79	5.6	HIGH	25	13	25	16
West Barnstable	13	1.2	MODERATE	10	3	0	0
West Boxford	13	3.4	HIGH	4	7	0	2
West Boylston	54	6.6	HIGH	18	8	10	18
West Bridgewater	36	1.6	MODERATE	28	5	1	2
West Brookfield	13	1.5	HIGH	9	4	0	0
West Chatham	7	1.1	MODERATE	5	2	0	0
West Chesterfield	2	2.2	MODERATE	1	1	0	0
West Dennis	5	0.4	MODERATE	5	0	0	0
West Falmouth	21	1.8	MODERATE	13	4	4	0
West Groton	3	2.7	HIGH	1	1	1	0
West Harwich	23	1.0	MODERATE	21	2	0	0
West Hatfield	10	2.4	MODERATE	4	4	2	0
West Hyannisport	11	0.9	MODERATE	11	0	0	0



City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
West Medford	2	0.2	HIGH	2	0	0	0
West Newbury	60	6.1	HIGH	20	12	12	16
West Newton	52	3.0	HIGH	31	4	11	6
West Roxbury	94	2.7	LOW	54	21	14	5
West Springfield	278	2.2	MODERATE	181	70	20	7
West Stockbridge	59	6.4	MODERATE	28	8	6	17
West Tisbury	270	3.1	MODERATE	130	70	51	19
West Townsend	42	21.4	HIGH	7	8	11	16
West Wareham	13	1.7	MODERATE	7	4	2	0
West Warren	2	0.6	HIGH	2	0	0	0
West Yarmouth	10	1.4	MODERATE	9	0	1	0
Westborough	173	4.5	HIGH	82	36	39	16
Westfield	615	3.5	MODERATE	334	137	89	55
Westford	459	6.7	HIGH	195	103	76	85
Westminster	33	7.2	HIGH	6	14	5	8
Weston	241	4.8	HIGH	116	55	39	31
Westport	70	3.5	MODERATE	31	19	13	7
Westport Point	1	1.0	MODERATE	1	0	0	0
Westwood	275	4.2	MODERATE	109	56	71	39
Weymouth	63	2.5	MODERATE	37	14	9	3
Whately	11	1.5	MODERATE	8	3	0	0
White Horse Beach	6	1.0	MODERATE	5	1	0	0
Whitinsville	60	5.4	HIGH	22	14	12	12
Whitman	29	2.2	MODERATE	15	10	3	1
Wilbraham	334	3.4	MODERATE	178	91	45	20
Williamsburg	33	4.5	MODERATE	12	10	6	5
Williamstown	96	4.0	MODERATE	41	20	17	18
Wilmington	239	5.1	HIGH	134	46	29	30

City	TOTAL TESTS	AVG pCi/L	EPA RISK	0-1.9 pCi/L	2-3.9 pCi/L	4.0-7.9 pCi/L	8.0+ pCi/L
Winchendon	22	2.9	HIGH	11	7	2	2
Winchendon Springs	3	2.6	HIGH	2	0	1	0
Winchester	365	3.5	HIGH	182	78	67	38
Windsor	8	8.9	MODERATE	3	2	0	3
Winthrop	21	1.2	LOW	17	2	2	0
Woburn	221	4.6	HIGH	105	44	40	32
Woods Hole	18	11.9	MODERATE	4	5	2	7
Worcester	781	3.3	HIGH	452	145	99	85
Woronoco	6	2.9	MODERATE	5	0	0	1
Worthington	13	2.4	MODERATE	7	4	1	1
Wrentham	113	3.6	MODERATE	54	31	16	12
Yarmouth Port	29	2.0	MODERATE	17	9	2	1
Grand Totals		3.7		21795 53.3%	9034 22.1%	5925 14.5%	4153 10.2%

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498